

Facility Summary in MISSOULA County in the City of BONNER

Location: CULLY'S
29344 MT HIGHWAY 200 E
BONNER, MT 59823 MISSOULA

Sys Fac ID: 32-12400

Last Inspected On: 12/10/2013

Operating Permit Renewal Date: 4/19/2017

Contact: Joe Johnson, (406) 261-3569

Owners/Operators: JMBC, Owner

319 MONTCLAIRE DR
KALISPELL MT 59901
29344 HWY 200
BONNER MT 59823

Joe Johnson, Operator

(406)-261-3569

JIM FRY, UST Class A Operator

Joe Johnson, UST Class A Operator

Doug Zimmerman, UST Class A Operator

JIM FRY, UST Class B Operator

Joe Johnson, UST Class B Operator

Doug Zimmerman, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	24	5/28/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
3488			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		12/9/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
6,000		10/20/2010			
2	24	5/28/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
3489			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		12/9/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
4,000		10/20/2010			
3	24	5/28/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
3490			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		12/9/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
4,000		10/20/2010			

Facility Summary in MISSOULA County in the City of BONNER

Location: CULLY'S
29344 MT HIGHWAY 200 E
BONNER, MT 59823 MISSOULA

Sys Fac ID: 32-12400

Last Inspected On: 12/10/2013

Operating Permit Renewal Date: 4/19/2017

Contact: Joe Johnson, (406) 261-3569

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	24	5/28/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
3491			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		12/9/2013	Automatic Tank Gauging 0.2	Deferred	
3,000		10/20/2010			

Facility Summary in MISSOULA County in the City of CLINTON

Location: BEARMOUTH EXPRESS
16595 US HIGHWAY 10 E
CLINTON, MT 59825 MISSOULA

Sys Fac ID: 32-01572

Last Inspected On: 2/25/2014

Operating Permit Renewal Date: 5/16/2017

Contact: Gene Tripp, (406) 825-4000

Owners/Operators: Gene Tripp Jr, Owner

(406)-825-4000

PO BOX 7103

MISSOULA MT 59807-7103

Jeff Tripp, UST Class A Operator

Jeff Tripp, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	36	4/29/1979	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
1205			Lined Interior/Impressed Current	None	Yes
Currently in Use		7/1/2008	Not Required	Safe Suction	Impressed Current
Diesel		2/25/2014	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation	
12,000					

Facility Summary in MISSOULA County in the City of CLINTON

Location: TURAH STORE & CAMPGROUND
13555 TURAH RD
CLINTON, MT 59825 MISSOULA

Sys Fac ID: 32-04899
Last Inspected On: 9/9/2013
Operating Permit Renewal Date: 11/1/2016

Contact: William Hitch, (406) 258-9773

Owners/Operators: Turah Store & Campground LLC, Owner (406)-258-9773 13555 TURAH RD
CLINTON MT 59825-9775

Kathleen M Marshall, UST Class A Operator
Pamela Asbridge, UST Class B Operator
Jerry Kinney, UST Class B Operator
Kathleen M Marshall, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	43	4/18/1972	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
4007			Lined Interior/Impressed Current	None	Yes
Currently in Use		5/17/2009	Not Required	Safe Suction	Impressed Current
Gasoline		9/4/2013	Stat. Inventory Reconciliation	Deferred	
3,000		10/10/2007			
2	43	4/18/1972	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
4008			Lined Interior/Impressed Current	None	Yes
Currently in Use		5/17/2009	Not Required	Safe Suction	Impressed Current
Gasoline		9/4/2013	Stat. Inventory Reconciliation	Deferred	
1,000		10/10/2007			

Facility Summary in MISSOULA County in the City of CLINTON

Location: ROCK CREEK LODGE
7 ROCK CREEK RD
CLINTON, MT 59825 MISSOULA

Sys Fac ID: 32-11093

Last Inspected On: 9/10/2014

Operating Permit Renewal Date: 1/8/2018

Contact: Frank McGraw, (406) 825-4868

Owners/Operators: Rock Creek Entertainment Inc, Owner (406)-825-4868 7 ROCK CREEK RD
CLINTON MT 59825-9629

Frank McGraw, UST Class A Operator
Nel-Lani Powers, UST Class A Operator
Frank McGraw, UST Class B Operator
Nel-Lani Powers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	21	5/1/1994	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
4572			None	None	Yes
Temporarily Out of Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
5,000			TLS-300 , Veeder Root		
4	21	5/1/1994	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
4573			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
5,000		11/29/2011	TLS-300 , Veeder Root		

Facility Summary in MISSOULA County in the City of CLINTON

Location: CLINTON MARKET US 10 E
20500 WALLACE CREEK RD
CLINTON, MT 59825 MISSOULA

Sys Fac ID: 56-14040

Last Inspected On: 2/8/2016

Operating Permit Renewal Date: 4/9/2019

Contact: Kelly Larson, (406) 825-9920

Owners/Operators: Clinton Market, Owner

(406)-825-9920

PO BOX 256

CLINTON MT 59825-0256

Kelly Larson, UST Class A Operator

Kelly Larson, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	13	5/16/2002	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4651			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Safe Suction	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000			Gilbarco EMC Basic , Gilbarco	Continuous Interstitial Monitor	
2	13	5/16/2002	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4652			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000			Gilbarco EMC Basic , Gilbarco	Continuous Interstitial Monitor	
3	13	5/16/2002	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4653			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
5,000			Gilbarco EMC Basic , Gilbarco	Continuous Interstitial Monitor	
4	06	10/29/2009	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
5223			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
6,000			Gilbarco EMC Basic , Gilbarco	Continuous Interstitial Monitor	Yes

Facility Summary in MISSOULA County in the City of CONDON

Location: MISSION MOUNTAINS MERCANTILE
MT HIGHWAY 83
CONDON, MT 59826 MISSOULA

Sys Fac ID: 32-01619

Last Inspected On: 8/27/2014

Operating Permit Renewal Date: 9/10/2017

Contact: Len Kobylenski, (406) 754-2387

Owners/Operators: Leonard (Len) Kobylenski, Owner (406)-754-2233 PO BOX 1100
CONDON MT 59826-1100
Leonard (Len) Kobylenski, UST Class A Operator
Leonard (Len) Kobylenski, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	23	5/20/1992	Cathodically Protected Steel	Steel	High Level Alarm
1495			None	none	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		8/25/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		8/5/2015	TLS-350/Gilbarco EMC , Veeder Root		
5	23	5/20/1992	Cathodically Protected Steel	Steel	High Level Alarm
1496			None	none	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		8/25/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
8,000		8/5/2015	TLS-350/Gilbarco EMC , Veeder Root		
6	23	5/20/1992	Cathodically Protected Steel	Steel	High Level Alarm
1497			None	none	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		8/25/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
8,000		8/5/2015	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of FRENCHTOWN

Location: BRONCS GROCERIES INC
16600 BECKWITH ST
FRENCHTOWN, MT 59834 MISSOULA
Contact: (406) 626-4402

Sys Fac ID: 32-05767
Last Inspected On: 9/26/2014
Operating Permit Renewal Date: 3/3/2018

Owners/Operators: G & S Distributing Inc, Owner (406)-626-4402 18750 HOULE CREEK RD
FRENCHTOWN MT 59834-9726
Glenn Green, UST Class A Operator
Glenn Green, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	17	5/1/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2702			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		12/18/2014	TLS-350/Gilbarco EMC , Veeder Root		
5	17	5/1/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2703			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
8,000		12/18/2014	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of FRENCHTOWN

Location: FRENCHIES
16875 BECKWITH ST
FRENCHTOWN, MT 59834 MISSOULA

Contact: Frank Tabish, (406) 626-5279

Sys Fac ID: 32-11177
Last Inspected On: 9/5/2013
Operating Permit Renewal Date: 11/1/2016

Owners/Operators: Tabish Brothers Distributors Inc, Owner (406)-543-7621 GW PETROLEUM
PO BOX 8448
MISSOULA MT 59807-8448

Joe Heuchert, UST Class A Operator
Karly Shafer, UST Class A Operator
Linda Zuraff, UST Class B Operator
Karly Shafer, UST Class B Global Operator
Heather M Stiles, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	25	6/25/1990	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
4372			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		3/14/2013			
6	25	6/25/1990	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
4373			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		3/14/2013			
7	25	6/25/1990	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
4374			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		3/14/2013			

Facility Summary in MISSOULA County in the City of FRENCHTOWN

Location: FRENCHIES
16875 BECKWITH ST
FRENCHTOWN, MT 59834 MISSOULA

Sys Fac ID: 32-11177
Last Inspected On: 9/5/2013
Operating Permit Renewal Date: 11/1/2016

Contact: Frank Tabish, (406) 626-5279

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	25	6/25/1990	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
4375			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		3/14/2013			

Facility Summary in MISSOULA County in the City of GREENOUGH

Location: STONEYS KWIK STOP LLC
44676 MT HIGHWAY 200 E
GREENOUGH, MT 59823 MISSOULA

Sys Fac ID: 32-07114

Last Inspected On: 8/13/2013

Operating Permit Renewal Date: 12/5/2016

Contact: Gloria Cline, (406) 244-5598

Owners/Operators: Stoneys Kwik Stop LLC, Owner (406)-244-5598 44676 HIGHWAY 200 E
GREENOUGH MT 59823
Gloria Cline, Operator (406)-244-5598 44676 HIGHWAY 200 E
GREENOUGH MT 59823
Gloria Cline, UST Class A Operator
Gloria Cline, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	16	4/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4474			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor, MLLD Line Tightness Testing	
12,000		11/14/2013			
5	16	4/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4475			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor, MLLD Line Tightness Testing	
6,000		11/14/2013			
6	16	4/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4476			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor, MLLD Line Tightness Testing	
12,000		11/14/2013			

Facility Summary in MISSOULA County in the City of LOLO

Location: TOWN PUMP INC LOLO 2
11882 US HIGHWAY 93 S
LOLO, MT 59847 MISSOULA

Sys Fac ID: 32-01639

Last Inspected On: 1/29/2013

Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Owners/Operators: Lolo Town Pump Holdings LLC, Owner

(406)-497-6700

PO BOX 6000

BUTTE MT 59702-6000

Trent Biggers, UST Class A Operator

Trent Biggers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
13	18	9/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2545			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/5/2012	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
6,000					
14	18	9/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2546			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/5/2012	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	
8,000					
15	18	9/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4289			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/5/2012	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	
10,000					
16	18	9/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4290			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		12/5/2012	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	
10,000					

Facility Summary in MISSOULA County in the City of LOLO

Location: TOWN PUMP INC LOLO 2
11882 US HIGHWAY 93 S
LOLO, MT 59847 MISSOULA

Contact: Trent Biggers, (406) 497-6700

Sys Fac ID: 32-01639
Last Inspected On: 1/29/2013
Operating Permit Renewal Date: 5/14/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
17	18	9/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2549			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		12/5/2012	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	
8,000					
18	18	9/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2550			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/5/2012	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	
6,000					
20	11	9/15/2004	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4942			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Deferred	
12,000					
21	11	9/15/2004	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4943			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Deferred	
8,000					

Facility Summary in MISSOULA County in the City of LOLO

Location: TOWN PUMP INC LOLO 1
10955 US HIGHWAY 93 S
LOLO, MT 59847 MISSOULA

Sys Fac ID: 32-09414

Last Inspected On: 1/18/2016

Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Owners/Operators: Town Pump O Mat of Cut Bank Inc, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000

Charles A Armstrong, UST Class A Operator
Trent Biggers, UST Class A Operator
Don Edmisten, UST Class A Operator
Charles A Armstrong, UST Class B Global Operator
Trent Biggers, UST Class B Global Operator
Don Edmisten, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	28	7/1/1987	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2555			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/10/2014	Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	Yes
12,000			TLS-350/Gilbarco EMC , Veeder Root		
2	28	7/1/1987	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2556			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/10/2014	Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root		
3	28	7/1/1987	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2557			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/10/2014	Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of LOLO

Location: TOWN PUMP INC LOLO 1
10955 US HIGHWAY 93 S
LOLO, MT 59847 MISSOULA

Sys Fac ID: 32-09414

Last Inspected On: 1/18/2016

Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	28	7/1/1987	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2558			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/10/2014	Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of LOLO

Location: TRAVELS REST COUNTRY STORE
10565 LOLO CREEK RD
LOLO, MT 59847 MISSOULA
Contact: (406) 273-7800

Sys Fac ID: 32-11303
Last Inspected On: 7/21/2015
Operating Permit Renewal Date: 12/12/2018

Owners/Operators: Travels Rest Country Store, Owner (406)-273-2037 PO BOX 730
LOLO MT 59847-0730
Glen Doty, UST Class A Operator
Glen Doty, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	12	8/13/2003	Concrete	Flexible Plastic	High Level Alarm
4854	Yes		None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Deferred	MLLD Line Tightness Testing	
12,000		11/23/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
5	12	8/13/2003	Concrete	Flexible Plastic	High Level Alarm
4855	Yes		None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Deferred	MLLD Line Tightness Testing	
12,000		11/23/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
6	12	6/23/2003	Concrete	Flexible Plastic	High Level Alarm
4856	Yes		None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Deferred	MLLD Line Tightness Testing	
4,000		11/23/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
7	12	6/23/2003	Concrete	Flexible Plastic	High Level Alarm
4857	Yes		None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Deferred	MLLD Line Tightness Testing	
4,000		11/23/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of LOLO

Location: TRAVELS REST COUNTRY STORE
 10565 LOLO CREEK RD
 LOLO, MT 59847 MISSOULA
Contact: (406) 273-7800

Sys Fac ID: 32-11303
Last Inspected On: 7/21/2015
Operating Permit Renewal Date: 12/12/2018

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	12	6/23/2003	Concrete	Flexible Plastic	High Level Alarm
4858	Yes		None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Deferred	MLLD Line Tightness Testing	
4,000		11/23/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of LOLO

Location: LOLO SUPERSTOP
12011 US HIGHWAY 93 S
LOLO, MT 59847 MISSOULA

Sys Fac ID: 56-13795

Last Inspected On: 9/27/2013

Operating Permit Renewal Date: 10/3/2016

Contact: Frank Tabish, (406) 728-8026

Owners/Operators: Tabish Brothers Distributors Inc, Owner

(406)-543-7621

GW PETROLEUM
PO BOX 8448
MISSOULA MT 59807-8448

Michelle Cleek, UST Class A Operator
Karly Shafer, UST Class A Operator
Michelle Cleek, UST Class B Operator
Nicholas Dyer, UST Class B Operator
James Fortier, UST Class B Operator
Memory Smith, UST Class B Operator
Tracy Snyder, UST Class B Operator
Karly Shafer, UST Class B Global Operator
Heather M Stiles, UST Class B Global Operator
Vaughn Wells, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	18	1/15/1998	Steel Clad	Flexible Plastic	Ball Float Valve
2086			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000					
6	18	1/15/1998	Steel Clad	Flexible Plastic	Ball Float Valve
2087			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000					

Facility Summary in MISSOULA County in the City of LOLO

Location: LOLO SUPERSTOP
12011 US HIGHWAY 93 S
LOLO, MT 59847 MISSOULA

Sys Fac ID: 56-13795

Last Inspected On: 9/27/2013

Operating Permit Renewal Date: 10/3/2016

Contact: Frank Tabish, (406) 728-8026

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
7	18	1/15/1998	Steel Clad	Flexible Plastic	Ball Float Valve
2088			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000					
8	18	1/15/1998	Steel Clad	Flexible Plastic	Ball Float Valve
2089			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
12,000					
9	18	1/15/1998	Steel Clad	Flexible Plastic	Ball Float Valve
2090			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000					

Facility Summary in MISSOULA County in the City of MILLTOWN

Location: TOWN PUMP INC BONNER-MILLTOWN
7985 MT HIGHWAY 200 E
MILLTOWN, MT 59851 MISSOULA

Sys Fac ID: 32-13629

Last Inspected On: 1/29/2013

Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Owners/Operators: Bonner Town Pump & Casino Inc, Owner

600 S MAIN ST
BUTTE MT 59701-2534

Trent Biggers, UST Class A Operator

Trent Biggers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
4889			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Yes
10,000					
2	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve, Not Applicable
2574			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Yes
10,000					
3	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2564			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					

Facility Summary in MISSOULA County in the City of MILLTOWN

Location: TOWN PUMP INC BONNER-MILLTOWN
7985 MT HIGHWAY 200 E
MILLTOWN, MT 59851 MISSOULA

Sys Fac ID: 32-13629
Last Inspected On: 1/29/2013
Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
4260			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					
5	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
4261			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					
6	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
4262			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					
7	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2568			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					

Facility Summary in MISSOULA County in the City of MILLTOWN

Location: TOWN PUMP INC BONNER-MILLTOWN
7985 MT HIGHWAY 200 E
MILLTOWN, MT 59851 MISSOULA
Contact: Trent Biggers, (406) 497-6700

Sys Fac ID: 32-13629
Last Inspected On: 1/29/2013
Operating Permit Renewal Date: 5/14/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
4263			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					
9	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2570			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					
10	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2571			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					
11	20	9/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2572			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					

Facility Summary in MISSOULA County in the City of MILLTOWN

Location: TOWN PUMP INC BONNER-MILLTOWN
7985 MT HIGHWAY 200 E
MILLTOWN, MT 59851 MISSOULA

Sys Fac ID: 32-13629
Last Inspected On: 1/29/2013
Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
12	12	12/3/2003	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4871			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
5,000					
13	12	12/3/2003	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4872			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: WIMETT TRUCKING
6600 WIMMETT LN
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-00053

Last Inspected On: 1/19/2015

Operating Permit Renewal Date: 3/24/2018

Contact: Robert J Wimett, (406) 549-6401

Owners/Operators: Wimett Trucking, Owner (406)-549-6401 PO BOX 5660
MISSOULA MT 59806-5660
Norm Meitner, UST Class A Operator
Norm Meitner, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	31	2/3/1985	Bare Steel	Steel	Flapper Valve (Auto Shutoff)
2287			Impressed Current	None	Yes
Currently in Use		5/1/2004	Not Required	Safe Suction	Impressed Current
Diesel		3/1/2015	Tank Tightness Testing, Inventory Reconciliation, Stat. Inventory Reconciliation	Stat. Inventory Reconciliation	
12,000		3/6/2003			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HELLGATE CONOCO SERVICE CENTER
711 E BROADWAY ST
MISSOULA, MT 59802 MISSOULA

Contact: Ross Grenfell, (406) 549-7504

Sys Fac ID: 32-00144
Last Inspected On: 1/31/2014
Operating Permit Renewal Date: 6/14/2017

Owners/Operators: Hellgate Conoco Service Center, Owner (406)-728-9966 711 E BROADWAY ST
MISSOULA MT 59802-4609
Ross Grenfell, UST Class A Operator
Ross Grenfell, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	49	3/31/1966	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3765		10/6/2012	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use		1/1/2009	Continuous Interstitial Monitoring	Pressurized	Impressed Current
Gasoline		3/15/2011	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
8,000			TLS-350/Gilbarco EMC , Veeder Root		
2	49	3/31/1966	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3766		10/6/2012	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use		1/1/2009	Continuous Interstitial Monitoring	Pressurized	Impressed Current
Gasoline		3/15/2011	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
6,000			TLS-350/Gilbarco EMC , Veeder Root		
3	49	3/31/1966	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3767		10/6/2012	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use		1/1/2009	Continuous Interstitial Monitoring	Pressurized	Impressed Current
Diesel		3/15/2011	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
6,000			TLS-350/Gilbarco EMC , Veeder Root		
8	05	12/16/2010	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5279		10/6/2012	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline		3/15/2011	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	Yes
8,000			TLS-350/Gilbarco EMC , Veeder Root		Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MURALTS TRUCK PLAZA
8800 TRUCK STOP RD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-00146

Last Inspected On: 1/6/2015

Operating Permit Renewal Date: 1/14/2018

Contact: Walt Murault, (406) 728-4700

Owners/Operators: Muralts Inc, Owner (406)-728-4700 8800 TRUCK STOP RD
MISSOULA MT 59808-9708

WILLY BAKER, UST Class A Operator
Laci Carvey, UST Class A Operator
WILLY BAKER, UST Class B Operator
Laci Carvey, UST Class B Operator
Christopher Smith, UST Class B Operator
Curtis Wilson, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	47	3/26/1968	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3650			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Impressed Current
Diesel		3/10/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000		3/23/2012	TLS-350/Gilbarco EMC , Veeder Root		
2	47	3/26/1968	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3651			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Impressed Current
Diesel		3/10/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000		3/23/2012	TLS-350/Gilbarco EMC , Veeder Root		
3	47	3/26/1968	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3652			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Impressed Current
Diesel		3/10/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000		3/23/2012	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MURALTS TRUCK PLAZA
8800 TRUCK STOP RD
MISSOULA, MT 59808 MISSOULA

Contact: Walt Murault, (406) 728-4700

Sys Fac ID: 32-00146
Last Inspected On: 1/6/2015
Operating Permit Renewal Date: 1/14/2018

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	47	3/26/1968	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3653			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		3/10/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		6/20/2014	TLS-350/Gilbarco EMC , Veeder Root		
5	47	3/26/1968	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
3654			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		3/10/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		3/23/2012	TLS-350/Gilbarco EMC , Veeder Root		
6	42	3/26/1973	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
3655			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		3/10/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		3/23/2012	TLS-350/Gilbarco EMC , Veeder Root		
10	20	11/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1734			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		5/19/2009	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
10,000		3/23/2012	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MURALTS TRUCK PLAZA
8800 TRUCK STOP RD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-00146

Last Inspected On: 1/6/2015

Operating Permit Renewal Date: 1/14/2018

Contact: Walt Murault, (406) 728-4700

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
11	20	11/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1735			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		5/19/2009	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
5,000		3/23/2012	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HELLGATE TRADING POST INC
6265 MULLAN RD
MISSOULA, MT 59808 MISSOULA
Contact: (406) 728-8644

Sys Fac ID: 32-00211
Last Inspected On: 10/22/2013
Operating Permit Renewal Date: 12/7/2016

Owners/Operators: Tabish Brothers Distributors Inc, Owner (406)-543-7621 GW PETROLEUM
PO BOX 8448
MISSOULA MT 59807-8448

Malinda R Davis, UST Class A Operator
Karly Shafer, UST Class A Operator
Jennifer Snyder, UST Class A Operator
Katherine Ritter, UST Class B Operator
Jennifer Snyder, UST Class B Operator
Malinda R Davis, UST Class B Global Operator
Karly Shafer, UST Class B Global Operator
Heather M Stiles, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	21	9/1/1994	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
1425			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		4/3/2013			
4	21	9/1/1994	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
1426			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		4/3/2013			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HEATING PLANT
 PHYSICAL PLANT BLDG #32
 MISSOULA, MT 59812 MISSOULA
Contact: Mike Burke, (406) 243-2190

Sys Fac ID: 32-00505
Last Inspected On: 12/11/2013
Operating Permit Renewal Date: 2/22/2017

Owners/Operators: University of Montana, Owner (406)-243-2190 ATTN MIKE BURKE
 32 CAMPUS DRIVE
 MISSOULA MT 59812-6815
 Michael Burke, UST Class A Operator
 Michael Burke, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
9	17	11/1/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
4221		10/31/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
20,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: WATKINS & SHEPARD TRUCKING MISSOULA
6400 US HIGHWAY 10 W
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-00920

Last Inspected On: 4/10/2014

Operating Permit Renewal Date: 6/6/2017

Contact: Chuck Wieck, (406) 728-6121

Owners/Operators: Watkins & Shepard Trucking, Owner

(406)-728-6121

PO BOX 5328
MISSOULA MT 59806-5328

Brian Lease, UST Class A Operator

Kelly O'Toole, UST Class A Operator

Brian Lease, UST Class B Operator

Kelly O'Toole, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	17	4/1/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
1967		4/10/2014	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
15,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MISSOULA SERVICE CENTER
1900 S RUSSELL ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-01182

Last Inspected On: 4/16/2014

Operating Permit Renewal Date: 6/13/2017

Contact: Beth Stimatz, (406) 497-2687

Owners/Operators: Northwestern Energy, Owner

(406)-497-3382

ATTN: BETH STIMATZ
40 E BROADWAY ST
BUTTE MT 59701-9394

John Habeger, UST Class A Operator

Bruce Schlichenmayer, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	25	7/27/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1681			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Safe Suction	Galvanic
Diesel		10/12/2011	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Deferred	
3,000				Continuous Interstitial Monitor	
5	25	7/27/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1680			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Safe Suction	Galvanic
Gasoline		10/12/2011	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Deferred	
13,000				Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: WESTERN TRANSPORT
9310 CARTAGE RD
MISSOULA, MT 59808 MISSOULA
Contact: Scott Allen, (406) 493-7876

Sys Fac ID: 32-01348
Last Inspected On: 4/10/2013
Operating Permit Renewal Date: 6/9/2016

Owners/Operators: Western Land Investments LLC, Owner (307)-674-6305 PO BOX 671
SHERIDAN WY 82801
Scott Allen, Operator (406)-493-7876 9310 CARTAGE RD
MISSOULA MT 59808
Scott Allen, UST Class A Operator
Neil Hanson, UST Class A Operator
Scott Allen, UST Class B Operator
Neil Hanson, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	48	1/17/1968	Cathodically Protected Steel	Steel	High Level Alarm
1654			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Safe Suction	Impressed Current
Diesel		3/18/2015	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		9/12/2012			
4	48	1/17/1968	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1655			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel		3/18/2015	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		9/12/2012			
5	35	1/16/1981	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1656			Lined Interior/Impressed Current	None	Yes
Temporarily Out of Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel		3/18/2015	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		5/27/2010			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: GILLYS GAS & GROCERY
2340 S 3RD ST W
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-02179

Last Inspected On: 8/22/2013

Operating Permit Renewal Date: 8/28/2016

Contact: Justin McKay, (406) 542-0550

Owners/Operators: JM & JM Enterprise, Owner (406)-293-1873 317 LIBBY CREEK LANE
LIBBY MT 59923-8553

John R McKay, Operator (406)-293-1873 317 LIBBY CREEK LANE
LIBBY MT 59923-8553

John R McKay, UST Class A Operator
Justin McKay, UST Class A Operator
Charles Weight, UST Class A Operator
John R McKay, UST Class B Operator
Justin McKay, UST Class B Operator
Charles Weight, UST Class B Operator
Amy Williams, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	39	4/23/1976	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
3624			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		8/9/2010	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous	
10,000				Interstitial Monitor	
2	39	4/23/1976	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
3625			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		8/9/2010	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous	
10,000				Interstitial Monitor	
3	39	4/23/1976	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
3626			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		8/9/2010	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous	
4,000				Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: FINEST OIL CO MISSOULA NORTHGATE
3665 GRANT CREEK RD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-02295

Last Inspected On: 7/29/2014

Operating Permit Renewal Date: 8/9/2017

Contact: Steve Hanson, (406) 543-6969

Owners/Operators: Finest Oil Co, Owner

(406)-543-6969

PO BOX 17077
MISSOULA MT 59808-7077

James DeWaters, UST Class A Operator

David Peyton, UST Class A Operator

Stephen Hanson, UST Class B Operator

David Peyton, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	21	5/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1073			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
6,000					
2	22	6/1/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1071			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
12,000					
3	21	5/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1072			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
6,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: FINEST OIL CO MISSOULA NORTHGATE
3665 GRANT CREEK RD
MISSOULA, MT 59808 MISSOULA
Contact: Steve Hanson, (406) 543-6969

Sys Fac ID: 32-02295
Last Inspected On: 7/29/2014
Operating Permit Renewal Date: 8/9/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	22	6/1/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1070			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
12,000					
9	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1066			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
5,000					
10	24	7/1/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1067			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
12,000					
11	22	6/1/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1068			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
6,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: FINEST OIL CO MISSOULA NORTHGATE
3665 GRANT CREEK RD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-02295

Last Inspected On: 7/29/2014

Operating Permit Renewal Date: 8/9/2017

Contact: Steve Hanson, (406) 543-6969

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
12	22	6/1/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1069			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/29/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
12,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MOUNTAIN WEST CO OP MISSOULA RESERVE ST
4570 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-02437

Last Inspected On: 6/11/2015

Operating Permit Renewal Date: 6/15/2018

Contact: Chuck Thompson, (406) 543-8383

Owners/Operators: Mountain West Coop - Missoula, Owner (406)-543-8383 4570 N RESERVE ST
MISSOULA MT 59808-1411

Will Dukart, UST Class A Operator
Dave Otto, UST Class A Operator
Dusty Smith, UST Class A Operator
John Thompson, UST Class A Operator
Bill Griffin, UST Class B Operator
Dave Otto, UST Class B Global Operator
Dusty Smith, UST Class B Global Operator
John Thompson, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	20	3/29/1995	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve, High Level Alarm
2859			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		6/16/2014	Automatic Tank Gauging 0.2	ELLD Line Tightness Testing, Not Listed	
4,000		6/12/2014	TLS-350/Gilbarco EMC , Veeder Root		
17	01	11/1/2014	Fiberglass Reinforced Plastic	Flexible Plastic	Auto Limiter, High Level Alarm
5554		12/11/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
25,000		1/16/2015	TLS-450 , Veeder Root	Continuous Interstitial Monitor, Not Listed	Yes
18	01	11/1/2014	Fiberglass Reinforced Plastic	Flexible Plastic	Auto Limiter, High Level Alarm
5555		12/11/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
25,000		1/16/2015	TLS-450 , Veeder Root	Continuous Interstitial Monitor, Not Listed	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MOUNTAIN WEST CO OP MISSOULA RESERVE ST
4570 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-02437

Last Inspected On: 6/11/2015

Operating Permit Renewal Date: 6/15/2018

Contact: Chuck Thompson, (406) 543-8383

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
19	01	11/1/2014	Fiberglass Reinforced Plastic	Flexible Plastic	Auto Limiter, High Level Alarm
5556		12/11/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
10,000		1/16/2015	TLS-450 , Veeder Root	Continuous Interstitial Monitor, Not Listed	Yes
20	01	11/1/2014	Fiberglass Reinforced Plastic	Flexible Plastic	Auto Limiter, High Level Alarm
5557		12/11/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
6,000		1/16/2015	TLS-450 , Veeder Root	Continuous Interstitial Monitor, Not Listed	Yes
21	01	11/1/2014	Fiberglass Reinforced Plastic	Flexible Plastic	Auto Limiter, High Level Alarm
5558		12/11/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
10,000		1/16/2015	TLS-450 , Veeder Root	Continuous Interstitial Monitor, Not Listed	Yes
22	01	11/1/2014	Fiberglass Reinforced Plastic	Flexible Plastic	Auto Limiter, High Level Alarm
5559		12/11/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
10,000		1/16/2015	TLS-450 , Veeder Root	Continuous Interstitial Monitor, Not Listed	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: OLES COUNTRY STORE 12 & DIXIES DINER
3705 MT HIGHWAY 200 E
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-03190

Last Inspected On: 11/14/2013

Operating Permit Renewal Date: 2/9/2017

Contact: Gary Louquet, (406) 728-7500

Owners/Operators: JGL Distributing Inc, Owner (406)-728-7736 PO BOX 2758
MISSOULA MT 59806-2758

Peggy Wolfe, UST Class A Operator

Peggy Wolfe, UST Class B Operator

LeeAnn Dean, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	51	5/1/1964	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1427			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/14/2013	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		7/31/2013			
2	51	5/1/1964	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1428			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel		11/14/2013	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		7/31/2013			
3	51	5/1/1964	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1429			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel		11/14/2013	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		7/31/2013			
4	51	5/1/1964	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1430			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/14/2013	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		7/31/2013			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: OLES COUNTRY STORE 12 & DIXIES DINER
3705 MT HIGHWAY 200 E
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-03190

Last Inspected On: 11/14/2013

Operating Permit Renewal Date: 2/9/2017

Contact: Gary Louquet, (406) 728-7500

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	36	5/2/1979	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1431			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/14/2013	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
4,000		7/31/2013			

Location:	PHILLIPS 66/EXXON MOBIL JOINTLY OWNED MISSOULA TERMINAL 3330 RASER DR MISSOULA, MT 59808 MISSOULA			Sys Fac ID: 32-03320	
Contact:	Frances Nunn, (406) 255-5714			Last Inspected On: 3/26/2013	
				Operating Permit Renewal Date: 6/9/2016	
Owners/Operators:	Phillips 66/Exxon Mobil Jointly Owned Missoula Terminal, (406)-255-5714 2626 LILLIAN AVENUE Owner BILLINGS MT 59101 Phillips 66 Pipeline LLC, Operator (406)-255-5714 2626 LILLIAN AVENUE BILLINGS MT 59101 Richard Colgrove, UST Class A Operator Mark Shellabarger, UST Class A Operator Chris Binder, UST Class B Operator Garrett Burgin, UST Class B Operator Richard Colgrove, UST Class B Operator Randy Dayley, UST Class B Operator Kyle Jackson, UST Class B Operator Matthew LaPierre, UST Class B Operator Michael Mcarthur, UST Class B Operator Dusty Nagel, UST Class B Operator Orlando Rodriguez, UST Class B Operator Dustin Rogers, UST Class B Operator Brent Schreckendgust, UST Class B Operator Mark Shellabarger, UST Class B Operator Andrew Snyder, UST Class B Operator Kerry Sweten, UST Class B Operator Mark Shellabarger, UST Class B Global Operator				
Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	63	1/1/1953	Cathodically Protected Steel	Steel - Terminal Piping	
739	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Gasoline		7/3/2012	Deferred	MLLD Line Tightness Testing	
1,260,000		9/5/2012			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: PHILLIPS 66/EXXON MOBIL JOINTLY OWNED MISSOULA TERMINAL
 3330 RASER DR
 MISSOULA, MT 59808 MISSOULA
Contact: Frances Nunn, (406) 255-5714

Sys Fac ID: 32-03320
Last Inspected On: 3/26/2013
Operating Permit Renewal Date: 6/9/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	63	1/1/1953	Cathodically Protected Steel	Steel - Terminal Piping	
741	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Gasoline		7/3/2012	Deferred	MLLD Line Tightness Testing	
840,000		9/19/2012			
5	63	1/1/1953	Cathodically Protected Steel	Steel - Terminal Piping	
743	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Mixture		7/3/2012	Deferred	MLLD Line Tightness Testing	
840,000		10/8/2012			
7	63	1/1/1953	Cathodically Protected Steel	Steel - Terminal Piping	
745	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Gasohol/Ethanol		7/3/2012	Deferred	MLLD Line Tightness Testing	
840,000		9/12/2012			
9	44	1/1/1972	Cathodically Protected Steel	Steel - Terminal Piping	
747	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Diesel		7/2/2012	Deferred	MLLD Line Tightness Testing	
840,000		9/19/2012			
11	42	1/1/1974	Cathodically Protected Steel	Steel - Terminal Piping	
749	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Gasoline		7/2/2012	Deferred	MLLD Line Tightness Testing	
4,200,000		9/19/2012			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: PHILLIPS 66/EXXON MOBIL JOINTLY OWNED MISSOULA TERMINAL
 3330 RASER DR
 MISSOULA, MT 59808 MISSOULA
Contact: Frances Nunn, (406) 255-5714

Sys Fac ID: 32-03320
Last Inspected On: 3/26/2013
Operating Permit Renewal Date: 6/9/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
12	42	1/1/1974	Cathodically Protected Steel	Steel - Terminal Piping	
750	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Diesel		7/2/2012	Deferred	MLLD Line Tightness Testing	
2,646,000		5/1/2013			
20	18	11/1/1997	Cathodically Protected Steel	Steel - Terminal Piping	High Level Alarm
738	Yes		Double-Walled	None	Yes
Currently in Use			Not Required	Gravity Feed	Impressed Current
Mixture		7/3/2012	Deferred	MLLD Line Tightness Testing, Deferred	
8,000		4/1/2010			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: DEANOS TRAVEL PLAZA 14
5055 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-03610

Last Inspected On: 11/22/2013

Operating Permit Renewal Date: 12/21/2016

Contact: Dean Clinkenbeard, (406) 728-6052

Owners/Operators: DC Petroleum Inc, Owner (406)-728-6052 PO BOX 16085
MISSOULA MT 59808-6085
Dean Clinkenbeard, UST Class A Operator
Robert Taylor, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	24	4/2/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
799			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/21/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
12,000					
7	24	4/2/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
795			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
12,000					
8	24	4/2/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
796			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/21/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
12,000					
9	24	4/2/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
797			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/21/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
12,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: DEANOS TRAVEL PLAZA 14
5055 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-03610

Last Inspected On: 11/22/2013

Operating Permit Renewal Date: 12/21/2016

Contact: Dean Clinkenbeard, (406) 728-6052

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	24	4/2/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
798			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/21/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
12,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: NOONS 457
 540 E BROADWAY ST
 MISSOULA, MT 59802 MISSOULA
Contact: (406) 721-5968

Sys Fac ID: 32-03614
Last Inspected On: 8/5/2015
Operating Permit Renewal Date: 8/26/2018

Owners/Operators: Hi Noon Petroleum Missoula, Owner (406)-532-0381 PO BOX 7578
 MISSOULA MT 59807-7578

Earl Allen, UST Class A Operator
 Patrick Cork, UST Class A Operator
 Keith Dowling, UST Class A Operator
 Nicholas Holtey, UST Class A Operator
 Erin Keffeler, UST Class A Operator
 Randy Livingston, UST Class A Operator
 Jared Sayre, UST Class A Operator
 Stephanie Whiteman, UST Class A Operator
 Andrew Young, UST Class A Operator
 Earl Allen, UST Class B Operator
 Keith Dowling, UST Class B Operator
 Lisa Millsbaugh, UST Class B Operator
 Jared Sayre, UST Class B Operator
 Willy Baker, UST Class B Global Operator
 Laci Carvey, UST Class B Global Operator
 Patrick Cork, UST Class B Global Operator
 Cameron Fulmer, UST Class B Global Operator
 Joshua Fuss, UST Class B Global Operator
 Nicholas Holtey, UST Class B Global Operator
 Erin Keffeler, UST Class B Global Operator
 Randy Livingston, UST Class B Global Operator
 Stephanie Whiteman, UST Class B Global Operator
 Andrew Young, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

Facility Summary in MISSOULA County in the City of MISSOULA

Location: NOONS 457
540 E BROADWAY ST
MISSOULA, MT 59802 MISSOULA
Contact: (406) 721-5968

Sys Fac ID: 32-03614
Last Inspected On: 8/5/2015
Operating Permit Renewal Date: 8/26/2018

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	00	4/28/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
5573		4/27/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
18,000		4/26/2015	TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes
6	00	4/28/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
5574		4/27/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
6,000		4/26/2015	TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes
7	00	4/28/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
5575		4/27/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000		4/26/2015	TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: ZIP TRIP 32
1540 TOOLE AVE
MISSOULA, MT 59802 MISSOULA
Contact: (406) 543-7002

Sys Fac ID: 32-03912
Last Inspected On: 10/22/2013
Operating Permit Renewal Date: 2/4/2017

Owners/Operators: CHS Inc - Spokane Valley, Owner (509)-535-7701 16124 E MARIETTA LANE
SPOKANE VALLEY WA 99216
Cenex Zip Trip, Operator (509)-535-7701 16124 E MARIETTA LANE
SPOKANE VALLEY WA 99216
Jason Cocke, UST Class A Operator
Jason Cocke, UST Class B Operator
Luci Tuttle, UST Class B Operator
Jason Cocke, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	31	3/22/1984	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1342			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/9/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000					
2	31	3/22/1984	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1343			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		10/9/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000					
3	31	3/22/1984	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1344			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		10/9/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: ST PATRICKS HOSPITAL
500 W BROADWAY ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-04266

Last Inspected On: 1/27/2015

Operating Permit Renewal Date: 5/29/2018

Contact: Thomas Schussler, (406) 329-5730

Owners/Operators: Saint Patricks Hospital, Owner (406)-543-7271 500 W BROADWAY ST
MISSOULA MT 59802-4096
Timothy Chopp, UST Class A Operator
Timothy Chopp, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	14	10/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
4497			Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	MLLD Line Tightness Testing	
10,000		9/24/2014	TLS-300 , Veeder Root	Continuous Interstitial Monitor	
4	07	7/18/2008	Fiberglass Reinforced Plastic	Flexible Plastic	
5175			Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	MLLD Line Tightness Testing	
10,000		9/24/2014	TLS-300 , Veeder Root	Continuous Interstitial Monitor	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MISSOULA URBAN TRANSPORTATION
1221 SHAKESPEARE ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-04427

Last Inspected On: 12/11/2013

Operating Permit Renewal Date: 6/5/2017

Contact: Steve Earle, (406) 543-8386

Owners/Operators: Missoula Urban Transportation, Owner (406)-543-8386 1221 SHAKESPEARE ST
MISSOULA MT 59802-2307
John Roseboom, UST Class A Operator
John Roseboom, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	17	4/30/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1658			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
12,000					
5	17	4/30/1998	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
1659		1/27/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Not Listed	Not Applicable
Waste Oil			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
600					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: UNITED PARCEL SERVICE MISSOULA
221 EXPRESSWAY
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-04536

Last Inspected On: 4/18/2013

Operating Permit Renewal Date: 10/11/2016

Contact: Shelley Porch, (406) 721-0171

Owners/Operators: United Parcel Service, Inc, Owner (206)-621-6233 4455 7TH AVENUE S
SEATTLE WA 98108
United Parcel Service Plant Engineering Dept, Operator (206)-621-6261 4455 7TH AVE S
SEATTLE WA 98108
Robert Counts, UST Class A Operator
Trear Smith, UST Class A Operator
Russell Stott, UST Class A Operator
Paul Vandehey, UST Class A Operator
Robert Counts, UST Class B Operator
Russell Stott, UST Class B Operator
Trear Smith, UST Class B Global Operator
Paul Vandehey, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2182			Double-Walled	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor, MLLD Line Tightness Testing	
12,000		4/12/2013			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: OLES COUNTRY STORE 11
1600 S RUSSELL ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-04620

Last Inspected On: 11/3/2015

Operating Permit Renewal Date: 3/5/2019

Contact: Larry Krause, (406) 728-7618

Owners/Operators: DDJ Investments LLC, Owner (406)-370-1396 PO BOX 3553
MISSOULA MT 59806
Clark Ridgeway, UST Class A Operator
Larry Krause, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	27	10/30/1988	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1722			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		11/3/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		3/18/2015	Gilbarco EMC Basic , Gilbarco		
5	27	10/30/1988	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1723			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		11/3/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		3/18/2015	Gilbarco EMC Basic , Gilbarco		
6	27	10/30/1988	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1721			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		11/3/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
8,000		3/18/2015	Gilbarco EMC Basic , Gilbarco		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: OLES COUNTRY STORE INC 2
923 N ORANGE ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-05216

Last Inspected On: 11/14/2013

Operating Permit Renewal Date: 3/14/2017

Contact: Casie Schwindt, (406) 542-2224

Owners/Operators: Oles Country Stores Inc Missoula, Owner (406)-542-2224 PO BOX 3356
MISSOULA MT 59806-2927
Casie Schwindt, UST Class A Operator
Erika Nicklay, UST Class B Operator
Casie Schwindt, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	25	9/25/1990	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2357			None	Secondary Containment Chase	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		11/14/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
15,000		8/22/2007			
5	25	9/25/1990	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2358			None	Secondary Containment Chase	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		11/14/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000		8/22/2007			
6	25	9/25/1990	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2359			None	Secondary Containment Chase	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		11/14/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000		8/22/2007			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: JAYS FOOD STORE
2738 W BROADWAY ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-05760

Last Inspected On: 4/10/2014

Operating Permit Renewal Date: 8/2/2017

Contact: Bobby Ghuman, (406) 549-1750

Owners/Operators: Jays Corporation, Owner

2738 W BROADWAY ST
MISSOULA MT 59808-1622

Jagpreet Ghuman, UST Class A Operator
Jaspal Sandhu, UST Class A Operator
Jaspal Sandhu, UST Class B Operator
Jagpreet Ghuman, UST Class B Global Operator
Jaspal Sandhu, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	43	11/18/1972	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1345		10/10/2015	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/10/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
10,000		1/11/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
2	39	11/18/1976	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1346		10/10/2015	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/10/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
4,000		1/9/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
3	43	11/18/1972	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1347		10/10/2015	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		4/10/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
4,000		1/9/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: JAYS FOOD STORE CARDLOCK
2738 W BROADWAY ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-05761

Last Inspected On: 1/9/2014

Operating Permit Renewal Date:

Contact: Mambreet Singh, (406) 544-8853

Owners/Operators: Jays Corporation, Owner

2738 W BROADWAY ST
MISSOULA MT 59808-1622

Jagpreet Ghuman, UST Class A Operator

Jagpreet Ghuman, UST Class B Global Operator

Jaspal Sandhu, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	36	11/14/1979	Bare Steel	Steel	Flapper Valve (Auto Shutoff)
3627			Lined Interior/Impressed Current	None	Yes
Temporarily Out of Use			Not Required	U.S. Suction	Impressed Current
Gasoline		6/29/2011	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation, MLLD Line Tightness Testing	
10,000					
2	40	11/14/1975	Bare Steel	Steel	Flapper Valve (Auto Shutoff)
3628			Lined Interior/Impressed Current	None	Yes
Temporarily Out of Use			Not Required	U.S. Suction	Impressed Current
Gasoline		6/29/2011	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation, MLLD Line Tightness Testing	
4,000					
3	36	11/14/1979	Bare Steel	Steel	Flapper Valve (Auto Shutoff)
3629			Lined Interior/Impressed Current	None	Yes
Temporarily Out of Use			Not Required	U.S. Suction	Impressed Current
Diesel		6/29/2011	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation, MLLD Line Tightness Testing	
10,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: NOONS 426
1250 39TH ST
MISSOULA, MT 59803 MISSOULA

Sys Fac ID: 32-05763
Last Inspected On: 9/26/2013
Operating Permit Renewal Date: 12/10/2016

Contact: Monte Means, (406) 728-5104

Owners/Operators: Hi Noon Petroleum Missoula, Owner (406)-532-0381 PO BOX 7578
MISSOULA MT 59807-7578

Earl Allen, UST Class A Operator
Willy Baker, UST Class A Operator
Patrick Cork, UST Class A Operator
Nicholas Holtey, UST Class A Operator
Erin Keffeler, UST Class A Operator
Randy Livingston, UST Class A Operator
Joseph Salisbury, UST Class A Operator
Jared Sayre, UST Class A Operator
June Schneider, UST Class A Operator
Stephanie Whiteman, UST Class A Operator
Andrew Young, UST Class A Operator
Keith Dowling, UST Class B Operator
Lisa Millsbaugh, UST Class B Operator
Joseph Salisbury, UST Class B Operator
Jared Sayre, UST Class B Operator
Earl Allen, UST Class B Global Operator
Laci Carvey, UST Class B Global Operator
Patrick Cork, UST Class B Global Operator
Cameron Fulmer, UST Class B Global Operator
Joshua Fuss, UST Class B Global Operator
Nicholas Holtey, UST Class B Global Operator
Erin Keffeler, UST Class B Global Operator
Randy Livingston, UST Class B Global Operator
June Schneider, UST Class B Global Operator
Stephanie Whiteman, UST Class B Global Operator
Andrew Young, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

Facility Summary in MISSOULA County in the City of MISSOULA

Location: NOONS 426
1250 39TH ST
MISSOULA, MT 59803 MISSOULA
Contact: Monte Means, (406) 728-5104

Sys Fac ID: 32-05763
Last Inspected On: 9/26/2013
Operating Permit Renewal Date: 12/10/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	36	1/1/1980	Bare Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1348			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		9/25/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, MLLD Line Tightness Testing	
12,000		6/14/2010			
2	36	1/1/1980	Bare Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1349			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		9/25/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, MLLD Line Tightness Testing	
12,000		6/14/2010			
3	36	1/1/1980	Bare Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1350			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		9/25/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, MLLD Line Tightness Testing	
12,000		6/14/2010			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: SOUTH AVE MARKET 2
2401 S HIGGINS AVE
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-05764

Last Inspected On: 11/14/2013

Operating Permit Renewal Date: 2/19/2017

Contact: (406) 728-4899

Owners/Operators: Steven H Schmidt, Owner (406)-549-0540 DBA PS MINI MART
506 EDDY AVE
MISSOULA MT 59801-2803

Scott Denning, UST Class A Operator
Steven H Schmidt, UST Class A Operator
Josh McCourt, UST Class B Global Operator
Rico Pagauini, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	34	4/26/1981	Bare Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
4668			Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/14/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000					
2	34	4/26/1981	Bare Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3849			Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/14/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000					
3	34	4/26/1981	Bare Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
3850			Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		11/14/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TABISH BROTHERS DISTRIBUTORS INC
501 TAYLOR ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-06523

Last Inspected On: 8/21/2014

Operating Permit Renewal Date: 12/17/2017

Contact: Frank Tabish, (406) 543-7621

Owners/Operators: Tabish Brothers Distributors Inc, Owner

(406)-543-7621

GW PETROLEUM
PO BOX 8448
MISSOULA MT 59807-8448

Franklin X Tabish, UST Class A Operator

Heather M Stiles, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	34	4/16/1981	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
2081		8/21/2014	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Gravity Feed	Not Applicable
Waste Oil			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
7,600			TLS-350/Gilbarco EMC , Veeder Root		
4	34	4/16/1981	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
2080			None	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Heating Oil			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
7,600			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: KWIK STOP SINCLAIR
505 HIGHTON ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-06680

Last Inspected On: 5/19/2014

Operating Permit Renewal Date: 7/31/2017

Contact: Vibhutiben Patel, (406) 549-3286

Owners/Operators: Mayur LLC, Owner/Operator (406)-549-3286 505 HIGHTON ST
MISSOULA MT 59802-5424

Ashish Patel, UST Class A Operator
Jayprakash Patel, UST Class A Operator
Ashish Patel, UST Class B Operator
Jayprakash Patel, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	26	1/10/1990	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2300			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		1/7/2015	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		10/3/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
4	26	1/10/1990	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2298			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		1/7/2015	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		10/3/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
5	26	1/10/1990	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2299			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		1/7/2015	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		10/3/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: GRAY WOLF PEAK
20750 US HIGHWAY 93 N
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-06789

Last Inspected On: 11/13/2001

Operating Permit Renewal Date:

Contact: Peter Fordham, (406) 726-3778

Owners/Operators: S & K Gaming LLC, Owner (406)-883-3636 49708 US HIGHWAY 93
POLSON MT 59860-2305

Jennifer Domebo, UST Class A Operator
Jennifer Domebo, UST Class B Operator
Jennifer Domebo, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	37	5/5/1978	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
3805			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
12,000					
2	37	5/5/1978	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
3806			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
12,000					
3	37	5/5/1978	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
3807			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000					
4	37	5/5/1978	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
3808			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: GRAY WOLF PEAK
 20750 US HIGHWAY 93 N
 MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-06789

Last Inspected On: 11/13/2001

Operating Permit Renewal Date:

Contact: Peter Fordham, (406) 726-3778

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	14	4/1/2001	Concrete	Flexible Plastic	High Level Alarm
4509	Yes		Double-Walled	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Deferred	Continuous Interstitial Monitor, MLLD Line	
6,000				Tightness Testing	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: ZOOTOVN SUPER STOP
2105 S HIGGINS AVE
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-07244

Last Inspected On: 1/8/2015

Operating Permit Renewal Date: 3/13/2018

Contact: W Sweeney, (406) 273-6675

Owners/Operators: Tabish Brothers Distributors Inc, Owner/Operator (406)-543-7621 GW PETROLEUM
PO BOX 8448
MISSOULA MT 59807-8448

Dennis Daniels, UST Class A Operator
Callie Leigh Olson, UST Class A Operator
Karly Shafer, UST Class A Operator
Leanne Johnsen, UST Class B Operator
Dennis Daniels, UST Class B Global Operator
Karly Shafer, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	25	12/7/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1801			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		1/7/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
4,000		7/13/2011	Gilbarco EMC Basic , Gilbarco		
4	25	12/7/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1799			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		1/7/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, MLLD Line Tightness Testing	
8,000		7/13/2011	Gilbarco EMC Basic , Gilbarco		
5	25	12/7/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1800			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		1/7/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
6,000		7/13/2011	Gilbarco EMC Basic , Gilbarco		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: GREAT WESTERN PETROLEUM
1002 E BROADWAY ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-07431

Last Inspected On: 8/4/2015

Operating Permit Renewal Date: 10/30/2018

Contact: Frank Tabish, (406) 543-7621

Owners/Operators: Tabish Brothers Distributors Inc, Owner

(406)-543-7621

GW PETROLEUM
PO BOX 8448
MISSOULA MT 59807-8448

Franklin X Tabish, UST Class A Operator

Franklin X Tabish, UST Class B Operator

Heather M Stiles, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	17	6/1/1998	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
1432		8/3/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
5,000			Gilbarco EMC Basic , Gilbarco		
11	17	6/1/1998	Cathodically Protected Steel	Flexible Plastic	
1433	Yes	8/3/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
17,000					
12	17	6/1/1998	Cathodically Protected Steel	Flexible Plastic	
1434	Yes	8/3/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
11,000					
13	17	6/1/1998	Cathodically Protected Steel	Flexible Plastic	
1435	Yes	8/3/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
14,600					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: GREAT WESTERN PETROLEUM
1002 E BROADWAY ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-07431

Last Inspected On: 8/4/2015

Operating Permit Renewal Date: 10/30/2018

Contact: Frank Tabish, (406) 543-7621

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
14	17	6/1/1998	Cathodically Protected Steel	Flexible Plastic	
1436	Yes	8/3/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
11,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MISSOULA AIRPORT WASHINGTON HANGER
5225 W BROADWAY ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-07606

Last Inspected On: 8/28/2014

Operating Permit Renewal Date: 12/13/2017

Contact: Tim Hunt, (406) 728-3190

Owners/Operators: Washington Corporations, Owner

(406)-523-1349

PO BOX 16630
MISSOULA MT 59808-6630

Donald Hughes, UST Class A Operator

Donald Hughes, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	31	5/7/1984	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
2242		7/2/2014	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Jet Fuel		7/2/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000			TLS-300 , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HOLIDAY STATIONSTORE 278
403 S RUSSELL ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-08072

Last Inspected On: 7/31/2013

Operating Permit Renewal Date: 11/21/2016

Contact: Jack Krueger, (406) 860-9083

Owners/Operators: Rocky Mountain Oil Co Inc, Owner (952)-830-8899 ATTN: ENVIRONMENTAL DIRECTOR
PO BOX 1224
MINNEAPOLIS MN 55437-1123

Destry Randles, UST Class A Operator
Stephen Reckinger, UST Class A Operator
Dean Townsend, UST Class A Operator
Ronald VanDenBroeke, UST Class A Operator
Destry Randles, UST Class B Operator
Tim Randles, UST Class B Operator
Todd White, UST Class B Operator
Julie Cordie, UST Class B Global Operator
Travis Struckman, UST Class B Global Operator
Todd White, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	20	7/31/1995	Steel Clad	Flexible Plastic	Ball Float Valve
3025			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Yes
8,000		2/27/2007			
2	20	7/31/1995	Steel Clad	Flexible Plastic	Ball Float Valve
3026			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Yes
8,000		2/27/2007			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HOLIDAY STATIONSTORE 278
403 S RUSSELL ST
MISSOULA, MT 59801 MISSOULA
Contact: Jack Krueger, (406) 860-9083

Sys Fac ID: 32-08072
Last Inspected On: 7/31/2013
Operating Permit Renewal Date: 11/21/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	20	7/31/1995	Steel Clad	Flexible Plastic	Ball Float Valve
4700			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Yes
12,000		3/5/2007			
4	20	7/31/1995	Steel Clad	Flexible Plastic	Ball Float Valve
3024			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000		3/5/2007			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: THE OLDE DAIRY
2106 CLEMENTS RD
MISSOULA, MT 59804 MISSOULA

Sys Fac ID: 32-08475

Last Inspected On: 5/21/2014

Operating Permit Renewal Date: 9/3/2017

Contact: Emily Englund, (406) 239-3323

Owners/Operators: Target Range Development LLC, Owner (406)-721-3323 4860 SUNDOWN RD
MISSOULA MT 59804
Carter Beck, Operator (406)-721-8282 4860 SUNDOWN RD
MISSOULA MT 59804
Emily Englund, Operator (406)-239-3323 5156 EXCALIBUR WAY
LOLO MT 59847
Scott Denning, UST Class A Operator
Emily Englund, UST Class A Operator
Emily Englund, UST Class B Operator
Emily Englund, UST Class B Global Operator
Bettina Gottfried, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	16	3/23/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4086			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
10,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
6	16	3/23/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4087			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
7	16	3/23/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4088			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
4,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP INC MISSOULA 2
318 S ORANGE ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-08715

Last Inspected On: 1/14/2016

Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Owners/Operators: Orange Town Pump Inc, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000

Charles A Armstrong, UST Class A Operator
Trent Biggers, UST Class A Operator
Don Edmisten, UST Class A Operator
Charles A Armstrong, UST Class B Global Operator
Trent Biggers, UST Class B Global Operator
Don Edmisten, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	25	5/24/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2552			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root		
4	25	5/29/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2553			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000			TLS-350/Gilbarco EMC , Veeder Root		
5	25	5/29/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2554			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: PHILLIPS 66/EXXON MOBIL JOINTLY OWNED MISSOULA TERMINAL
3330 RASER DR
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-08732

Last Inspected On: 3/26/2013

Operating Permit Renewal Date: 6/9/2016

Contact: Frances Nunn, (406) 255-5714

Owners/Operators: Phillips 66/Exxon Mobil Jointly Owned Missoula Terminal, (406)-255-5714 2626 LILLIAN AVENUE
Owner BILLINGS MT 59101
Phillips 66 Pipeline LLC, Operator (406)-255-5714 2626 LILLIAN AVENUE
BILLINGS MT 59101

Richard Colgrove, UST Class A Operator
Mark Shellabarger, UST Class A Operator
Chris Binder, UST Class B Operator
Garrett Burgin, UST Class B Operator
Richard Colgrove, UST Class B Operator
Randy Dayley, UST Class B Operator
Kyle Jackson, UST Class B Operator
Matthew LaPierre, UST Class B Operator
Michael McArthur, UST Class B Operator
Dusty Nagel, UST Class B Operator
Orlando Rodriguez, UST Class B Operator
Brent Schreckendgust, UST Class B Operator
Mark Shellabarger, UST Class B Operator
Andrew Snyder, UST Class B Operator
Kerry Sweten, UST Class B Operator
Mark Shellabarger, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
9	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
2803	Yes		None	none	Yes
Temporarily Out of Use			Not Required	Pressurized	Impressed Current
Gasoline			Deferred	MLLD Line Tightness Testing	
648,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: PHILLIPS 66/EXXON MOBIL JOINTLY OWNED MISSOULA TERMINAL
 3330 RASER DR
 MISSOULA, MT 59808 MISSOULA
Contact: Frances Nunn, (406) 255-5714

Sys Fac ID: 32-08732
Last Inspected On: 3/26/2013
Operating Permit Renewal Date: 6/9/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
2801	Yes		None	none	Yes
Temporarily Out of Use			Not Required	Pressurized	Impressed Current
Diesel			Deferred	MLLD Line Tightness Testing	
847,000					
11	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
2802	Yes		None	none	Yes
Temporarily Out of Use			Not Required	Pressurized	Impressed Current
Gasoline			Deferred	MLLD Line Tightness Testing	
648,000					
13	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
2800	Yes		None	none	Yes
Temporarily Out of Use			Not Required	Pressurized	Impressed Current
Diesel			Deferred	MLLD Line Tightness Testing	
847,000					
14	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
2796	Yes		None	none	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Gasoline		7/1/2012	Deferred	MLLD Line Tightness Testing	
1,260,000		8/29/2012			
15	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
2797	Yes		None	none	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Diesel		7/1/2012	Deferred	MLLD Line Tightness Testing	
647,892		8/28/2012			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: PHILLIPS 66/EXXON MOBIL JOINTLY OWNED MISSOULA TERMINAL
 3330 RASER DR
 MISSOULA, MT 59808 MISSOULA
Contact: Frances Nunn, (406) 255-5714

Sys Fac ID: 32-08732
Last Inspected On: 3/26/2013
Operating Permit Renewal Date: 6/9/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
18	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
4909	Yes		None	none	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Diesel		7/1/2012	Deferred	MLLD Line Tightness Testing	
840,000		8/27/2012			
20	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
2793	Yes		None	none	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Diesel		7/1/2012	Deferred	MLLD Line Tightness Testing	
630,000		8/23/2012			
22	61	6/1/1954	Cathodically Protected Steel	Steel - Terminal Piping	
4581	Yes		None	none	Yes
Currently in Use			Not Required	Pressurized	Impressed Current
Gasoline		7/1/2012	Deferred	MLLD Line Tightness Testing	
630,000		8/29/2012			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: SOUTHGATE MARKET
1900 SOUTH AVE W
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-08862

Last Inspected On: 12/27/2014

Operating Permit Renewal Date: 3/13/2018

Contact: Steve Hintz, (406) 542-2685

Owners/Operators: Fugli LLC, Owner	(406)-542-2685	811 COTTONWOOD ST MISSOULA MT 59801-3824
Diana Hintz, Operator	(406)-542-2685	1900 S AVENUE W MISSOULA MT 59801-6508
Steve Hintz, Operator	(406)-542-2685	811 COTTONWOOD MISSOULA MT 59801
Diana Hintz, UST Class A Operator		
Steve Hintz, UST Class A Operator		
Gary Keith, UST Class B Operator		
James Farrugia, UST Class B Global Operator		

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	30	12/23/1985	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1354			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		12/27/2014	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000		7/8/2011	Gilbarco EMC Basic , Gilbarco		
2	30	12/23/1985	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1355			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/27/2014	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000		8/6/2011	Gilbarco EMC Basic , Gilbarco		
3	30	12/23/1985	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1356			None	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		12/27/2014	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000		7/8/2011	Gilbarco EMC Basic , Gilbarco		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: NOONS 470
1605 S RUSSELL ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-08863

Last Inspected On: 11/3/2015

Operating Permit Renewal Date: 2/9/2019

Contact: Ellen Harne, (406) 543-7092

Owners/Operators: Hi Noon Petroleum Missoula, Owner (406)-532-0381 PO BOX 7578
MISSOULA MT 59807-7578

Earl Allen, UST Class A Operator
Patrick Cork, UST Class A Operator
Keith Dowling, UST Class A Operator
Nicholas Holtey, UST Class A Operator
Erin Keffeler, UST Class A Operator
Randy Livingston, UST Class A Operator
Jared Sayre, UST Class A Operator
Stephanie Whiteman, UST Class A Operator
Andrew Young, UST Class A Operator
Earl Allen, UST Class B Operator
Keith Dowling, UST Class B Operator
Erin Keffeler, UST Class B Operator
Lisa Millspaugh, UST Class B Operator
Jared Sayre, UST Class B Operator
Willy Baker, UST Class B Global Operator
Laci Carvey, UST Class B Global Operator
Patrick Cork, UST Class B Global Operator
Cameron Fulmer, UST Class B Global Operator
Joshua Fuss, UST Class B Global Operator
Nicholas Holtey, UST Class B Global Operator
Randy Livingston, UST Class B Global Operator
Stephanie Whiteman, UST Class B Global Operator
Andrew Young, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

Facility Summary in MISSOULA County in the City of MISSOULA

Location: NOONS 470
1605 S RUSSELL ST
MISSOULA, MT 59801 MISSOULA

Contact: Ellen Harne, (406) 543-7092

Sys Fac ID: 32-08863
Last Inspected On: 11/3/2015
Operating Permit Renewal Date: 2/9/2019

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	30	6/23/1985	Fiberglass Reinforced Plastic	Flexible Plastic	Positive Shutoff
1357			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000			TLS-300 , Veeder Root	Continuous Interstitial Monitor	
2	30	6/23/1985	Fiberglass Reinforced Plastic	Flexible Plastic	Positive Shutoff
1358			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000			TLS-300 , Veeder Root	Continuous Interstitial Monitor	
3	30	6/23/1985	Fiberglass Reinforced Plastic	Flexible Plastic	Positive Shutoff
1359			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000			TLS-300 , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MDOT 11 3211 MISSOULA W BROADWAY
2100 W BROADWAY ST PO BOX 7039
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-09304

Last Inspected On: 6/23/2015

Operating Permit Renewal Date: 10/1/2018

Contact: Joe Radonich, (406) 444-9204

Owners/Operators: MDOT Helena, Owner Joseph J Radonich, Operator Jeff Gleason, UST Class A Operator Walt Kerttula, UST Class A Operator Mike Murolo, UST Class A Operator Joe Radonich, UST Class A Operator Richard Bick, UST Class B Operator John Maricelli, UST Class B Operator Justin Marin, UST Class B Operator Chad Pearson, UST Class B Operator Joe Radonich, UST Class B Global Operator	(406)-444-6200 (406)-444-9204	KIM JANZEN PO BOX 201001 HELENA MT 59620-1001 MDT DEADHEAD HELENA MT 59620-0901
---	--------------------------------------	--

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	31	5/1/1984	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2917			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		6/23/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Not Listed	
10,000			Gilbarco EMC Basic , Gilbarco		
6	28	4/1/1987	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2918			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		6/23/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Not Listed	
10,000			Gilbarco EMC Basic , Gilbarco		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: JAYS MART INC
2480 39TH ST
MISSOULA, MT 59803 MISSOULA

Contact: (406) 239-4547

Sys Fac ID: 32-09690
Last Inspected On: 4/10/2014
Operating Permit Renewal Date: 8/2/2017

Owners/Operators: Hi Star Corporation, Owner (509)-994-6549 2480 39TH ST
MISSOULA MT 59803-1123

JAYS MART INC, Operator (406)-239-4547 2480 39TH ST
MISSOULA MT 59803-1123

Harbhupinder Singh, Operator (406)-442-3259 3919 S SUNDOWN DR
SPOKANE VALLEY WA 99206-9554

Jagpreet Ghuman, UST Class A Operator
Manpreet Singh, UST Class A Operator
Manpreet Singh, UST Class B Operator
Jagpreet Ghuman, UST Class B Global Operator
Jaspal Sandhu, UST Class B Global Operator
Manpreet Singh, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	33	11/3/1982	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1360			Impressed Current	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/10/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
12,000		2/2/2014	TLS-350/Gilbarco EMC , Veeder Root		
2	33	11/3/1982	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1361			Impressed Current	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/10/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
6,000		2/2/2014	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: JAYS MART INC
2480 39TH ST
MISSOULA, MT 59803 MISSOULA

Contact: (406) 239-4547

Sys Fac ID: 32-09690
Last Inspected On: 4/10/2014
Operating Permit Renewal Date: 8/2/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	33	11/3/1982	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1362			Impressed Current	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/10/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
6,000		1/23/2014	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HOLIDAY STATIONSTORE 283
2325 S RESERVE ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-09694

Last Inspected On: 9/25/2014

Operating Permit Renewal Date: 2/13/2018

Contact: Jack Krueger, (406) 860-9083

Owners/Operators: Rocky Mountain Oil Co Inc, Owner

(952)-830-8899

ATTN: ENVIRONMENTAL DIRECTOR
PO BOX 1224
MINNEAPOLIS MN 55437-1123

Stephen Reckinger, UST Class A Operator
Destry Randles, UST Class B Operator
Tim Randles, UST Class B Operator
Brian Wardner, UST Class B Operator
Travis Struckman, UST Class B Global Operator
Todd White, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	28	8/1/1987	Cathodically Protected Steel	Steel	Ball Float Valve
3706			None	none	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	Yes
12,000		4/25/2014	TLS-350/Gilbarco EMC , Veeder Root	ELLD Line Tightness Testing	
2	28	8/1/1987	Cathodically Protected Steel	Steel	Ball Float Valve
3707			None	none	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	Yes
10,000		4/17/2014	TLS-350/Gilbarco EMC , Veeder Root	ELLD Line Tightness Testing	
3	28	8/1/1987	Cathodically Protected Steel	Steel	Ball Float Valve
3708			None	none	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	Yes
10,000		4/17/2014	TLS-350/Gilbarco EMC , Veeder Root	ELLD Line Tightness Testing	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HOLIDAY STATIONSTORE 283
2325 S RESERVE ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-09694
Last Inspected On: 9/25/2014
Operating Permit Renewal Date: 2/13/2018

Contact: Jack Krueger, (406) 860-9083

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	28	8/1/1987	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
3709			None	none	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
10,000		4/15/2014	TLS-350/Gilbarco EMC , Veeder Root	ELLD Line Tightness Testing	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: ZIP TRIP 31
3325 BROOKS ST
MISSOULA, MT 59801 MISSOULA
Contact: (406) 542-7741

Sys Fac ID: 32-09730
Last Inspected On: 7/17/2013
Operating Permit Renewal Date: 11/5/2016

Owners/Operators: CHS Inc - Spokane Valley, Owner (509)-535-7701 16124 E MARIETTA LANE
SPOKANE VALLEY WA 99216
Cenex Zip Trip, Operator (509)-535-7701 16124 E MARIETTA LANE
SPOKANE VALLEY WA 99216
Jason Cocke, UST Class A Operator
Jason Cocke, UST Class B Operator
Luci Tuttle, UST Class B Operator
Jason Cocke, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	27	3/18/1988	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
1363			None	Double-Walled	Yes
Currently in Use		3/18/1998	Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel		8/4/2010	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		10/17/2012			
2	27	3/18/1988	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
1364			None	Double-Walled	Yes
Currently in Use		3/18/1998	Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		8/4/2010	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		10/17/2012			
3	27	3/18/1988	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
1365			None	Double-Walled	Yes
Currently in Use		3/18/1998	Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		8/4/2010	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		10/17/2012			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HOLIDAY STATIONSTORE 282
605 S HIGGINS AVE
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-09733

Last Inspected On: 6/11/2014

Operating Permit Renewal Date: 8/17/2017

Contact: Jack Krueger, (406) 860-9083

Owners/Operators: Rocky Mountain Oil Co Inc, Owner

(952)-830-8899

ATTN: ENVIRONMENTAL DIRECTOR
PO BOX 1224
MINNEAPOLIS MN 55437-1123

Destry Randles, UST Class A Operator
Stephen Reckinger, UST Class A Operator
Mary Gray, UST Class B Operator
Destry Randles, UST Class B Operator
Tim Randles, UST Class B Operator
Greg Voorhees, UST Class B Operator
Mathew McConaughy, UST Class B Global Operator
Travis Struckman, UST Class B Global Operator
Todd White, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	27	8/1/1988	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
3029			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Yes
12,000		8/4/2011	TLS-350/Gilbarco EMC , Veeder Root		
2	27	8/1/1988	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
3030			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Yes
12,000		4/9/2011	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: HOLIDAY STATIONSTORE 282
605 S HIGGINS AVE
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-09733

Last Inspected On: 6/11/2014

Operating Permit Renewal Date: 8/17/2017

Contact: Jack Krueger, (406) 860-9083

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	27	8/1/1988	Cathodically Protected Steel	Flexible Plastic	Ball Float Valve
3028			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		1/9/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Yes
12,000		5/21/2011	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: ALLIED WASTE SERVICES OF NORTH AMERICA LLC
1501 RODGERS ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-09872

Last Inspected On: 6/18/2014

Operating Permit Renewal Date: 8/30/2017

Contact: David Seeberger, (406) 532-5115

Owners/Operators: Allied Waste Services of North America LLC, Owner (406)-543-3157 PO BOX 8449
MISSOULA MT 59807-8449
David Seeberger, UST Class A Operator
David Seeberger, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	26	1/24/1990	Cathodically Protected Steel	Flexible Plastic	High Level Alarm, Auto Shutoff
500			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		4/21/2014	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
10,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
5	26	1/24/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
501			Double-Walled	Double-Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Waste Oil		4/21/2014	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Deferred	
2,000		11/13/2013	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: RANGITSCH BROTHERS 2001 WEST BROADWAY
2001 W BROADWAY ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-09919

Last Inspected On: 7/1/2014

Operating Permit Renewal Date: 10/29/2017

Contact: James Rangitsch, (406) 728-4040

Owners/Operators: Rangitsch Brothers, Owner

(406)-728-4040

PO BOX 16127
MISSOULA MT 59808-6127

Joel Jasperson, UST Class A Operator

Russ Dickey, UST Class B Operator

Joel Jasperson, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	17	1/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
3917			None	Double-Walled	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Deferred	
12,000			EECO 1500 , EMCO Electronics		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: GARYS CONOCO SERVICE
2125 S HIGGINS AVE
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-10053

Last Inspected On: 11/20/2014

Operating Permit Renewal Date: 1/22/2018

Contact: Gary Little, (406) 542-0121

Owners/Operators: Gary D Little, Owner (406)-542-0121 2125 S HIGGINS AVE
MISSOULA MT 59801-6760
Gary D Little, UST Class A Operator
Gary D Little, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	25	9/30/1990	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2139			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
5,000		11/19/2014			
9	25	9/30/1990	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2140			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
4,000		11/19/2014			
10	25	9/30/1990	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2141			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
3,000		11/19/2014			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: FINEST OIL EASTGATE
940 E BROADWAY ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-10284

Last Inspected On: 8/28/2013

Operating Permit Renewal Date: 9/17/2016

Contact: Steve Hanson, (406) 543-6969

Owners/Operators: Finest Oil Co, Owner (406)-543-6969 PO BOX 17077
MISSOULA MT 59808-7077

James DeWaters, UST Class A Operator
Stephen Hanson, UST Class A Operator
David Peyton, UST Class A Operator
Stephen Hanson, UST Class B Operator
David Peyton, UST Class B Global Operator
John Stordahl, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
7	18	10/27/1997	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
1074			None	Double-Walled	Yes
Currently in Use		10/27/2007	Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
15,000					
8	18	10/27/1997	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
1075			None	Double-Walled	Yes
Currently in Use		10/27/2007	Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000					
9	18	10/27/1997	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
1076			None	Double-Walled	Yes
Currently in Use		10/27/2007	Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: DEMAROIS, INC
3115 W BROADWAY ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-10552

Last Inspected On: 12/22/2015

Operating Permit Renewal Date: 1/8/2019

Contact: Jack DeMarois, (406) 721-4000

Owners/Operators: DeMarois Inc, Owner (406)-721-4000 PO BOX 8539
MISSOULA MT 59807-8539
Jack DeMarois, UST Class A Operator
Jack DeMarois, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	17	11/1/1998	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
2188			None	Double-Walled	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Deferred	
4,000			TS-2000 , Incon		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MONTANA RAIL LINK INC RAILYARD MISSOULA
101 INTERNATIONAL DR
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-11226

Last Inspected On: 12/12/2014

Operating Permit Renewal Date: 3/27/2018

Contact: Richard Shelley, (406) 523-1415

Owners/Operators: Montana Rail Link, Owner

(406)-523-1415

PO BOX 16930
MISSOULA MT 59808-6930

Richard Shelley, UST Class A Operator

Richard Shelley, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	25	11/1/1990	Unknown	Steel	
3872	Yes		None	None	Yes
Currently in Use			Not Required	Pressurized	Not Applicable, Impressed Current
Diesel		9/23/2014	Not Listed	MLLD Line Tightness Testing	
30,000		9/24/2014			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: COMMUNITY MEDICAL CENTER
2827 FORT MISSOULA RD
MISSOULA, MT 59804 MISSOULA

Contact: Kris Schallock, (406) 544-2106

Sys Fac ID: 32-11740
Last Inspected On: 12/22/2014
Operating Permit Renewal Date: 3/8/2018

Owners/Operators: RCHP Billings - Missoula LLC, Owner	(615)-844-9800	103 CONTINENTAL PLACE SUITE 200 BRENTWOOD TN 37027
Chris Colten, Operator	(406)-207-3639	2827 FORT MISSOULA RD MISSOULA MT 59804
Steve Martin, Operator		108 NEW MEADOWS DR MISSOULA MT 59808
Kris Schallock, UST Class A Operator		
Michael Wilson, UST Class A Operator		
Brian Gunderson, UST Class B Operator		
Steve Martin, UST Class B Operator		
Jeff Nixon, UST Class B Operator		
Richard Odan, UST Class B Global Operator		

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	21	7/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2353		5/29/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Galvanic
Diesel		12/14/2014	Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000		5/29/2015	ILS-250 , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: BEACH TRANSPORTATION CO
825 MOUNT AVE
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-11904

Last Inspected On: 12/3/2013

Operating Permit Renewal Date: 12/21/2016

Contact: Scott Beach, (406) 549-6121

Owners/Operators: Beach Transportation, Owner (406)-549-6121 825 MOUNT AVE
MISSOULA MT 59801-5687

Scott R Beach, UST Class A Operator

Carlin Cavill, UST Class A Operator

Carlin Cavill, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	18	9/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2361		7/31/2013	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP INC MISSOULA 3
2210 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-13172

Last Inspected On: 1/14/2016

Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Owners/Operators: Town Pump of Northwest Missoula Inc, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000

Charles A Armstrong, UST Class A Operator
Trent Biggers, UST Class A Operator
Don Edmisten, UST Class A Operator
Charles A Armstrong, UST Class B Global Operator
Trent Biggers, UST Class B Global Operator
Don Edmisten, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	6/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2559			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000		9/22/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
2	22	6/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2560			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000		9/22/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
3	22	6/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2561			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000		9/30/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP INC MISSOULA 3
2210 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-13172

Last Inspected On: 1/14/2016

Operating Permit Renewal Date: 5/14/2016

Contact: Trent Biggers, (406) 497-6700

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	22	6/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2562			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000		9/30/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
5	22	6/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
2563			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000		9/30/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP INC MISSOULA 1
5310 GRANT CREEK RD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-13336

Last Inspected On: 1/29/2013

Operating Permit Renewal Date: 8/2/2016

Contact: Doug Dodge, (406) 497-6700

Owners/Operators: Missoula Holdings LLC, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000
Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	12/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2342			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		1/16/2013	Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					
2	22	12/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2343			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		1/16/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
6,000					
3	22	12/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2344			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		1/16/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
4,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP INC MISSOULA 1
5310 GRANT CREEK RD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-13336

Last Inspected On: 1/29/2013

Operating Permit Renewal Date: 8/2/2016

Contact: Doug Dodge, (406) 497-6700

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	22	12/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2345			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		1/16/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
6,000					
5	07	1/25/2009	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5196			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		1/11/2010	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
20,000					Yes
6	07	1/25/2009	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5197			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		1/11/2010	Continuous Interstitial Monitor, Stat. Inventory Reconciliation	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: PROVIDENCE CENTER
900 N ORANGE ST
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 32-13405

Last Inspected On: 1/27/2015

Operating Permit Renewal Date: 4/3/2018

Contact: Tim Chopp, (406) 329-5731

Owners/Operators: Saint Patricks Hospital, Owner (406)-543-7271 500 W BROADWAY ST
MISSOULA MT 59802-4096
Timothy Chopp, UST Class A Operator
Timothy Chopp, UST Class B Operator
Harry McGuire, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	20	8/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
1960			Double-Walled	Double-Walled	Yes
Currently in Use			Not Required	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	MLLD Line Tightness Testing	
2,500		9/24/2014	TLS-300 , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: SORENSEN TRANSPORT
6575 US HIGHWAY 10 W
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 32-13428

Last Inspected On: 9/4/2015

Operating Permit Renewal Date: 10/15/2018

Contact: Lane Sorensen, (406) 721-5404

Owners/Operators: Sorensen Transport, Owner (406)-721-5404 6575 HWY 10 W
MISSOULA MT 59808
Lane Sorensen, UST Class A Operator
Lane Sorensen, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	00	6/4/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Positive Shutoff
5576		5/19/2015	Double-Walled	Double-Walled	No
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
20,000		6/3/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, ELLD Line Tightness Testing, Not Listed	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: PS MINI MART
930 N RUSSELL ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 32-13472

Last Inspected On: 8/6/2014

Operating Permit Renewal Date: 1/6/2018

Contact: Scott Denning, (406) 880-7272

Owners/Operators: Christine Denning, Owner	(406)-880-7272	930 N RUSSELL MISSOULA MT 59802
Richard Denning, Owner	(406)-880-7272	930 N RUSSELL MISSOULA MT 59802
CR CO LLC dba PS Mini Mart, Operator	(406)-880-0100	930 N RUSSELL MISSOULA MT 59801
Scott Denning, UST Class A Operator		
Steven H Schmidt, UST Class A Operator		
Richard Denning, UST Class B Global Operator		
Rico Pagauini, UST Class B Global Operator		

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	21	6/1/1994	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1451			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		8/4/2011	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		8/6/2014	TLS-350/Gilbarco EMC , Veeder Root		
2	21	6/1/1994	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1452			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		8/4/2011	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
4,000		8/6/2014	TLS-350/Gilbarco EMC , Veeder Root		
3	21	6/1/1994	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1450			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		8/4/2011	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		8/6/2014	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: WESTFIELD MISSOULA
8448 US HIGHWAY 10 W
MISSOULA, MT 59808 MISSOULA
Contact: Steve L Hanson, (406) 543-6969

Sys Fac ID: 32-13674
Last Inspected On: 7/17/2014
Operating Permit Renewal Date: 7/22/2017

Owners/Operators: Finest Oil Co, Owner (406)-543-6969 PO BOX 17077
MISSOULA MT 59808-7077

James DeWaters, UST Class A Operator
Stephen Hanson, UST Class A Operator
David Peyton, UST Class A Operator
Stephen Hanson, UST Class B Operator
David Peyton, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	20	12/1/1995	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1077			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		3/18/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
6,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
2	20	12/1/1995	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1078			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		3/18/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
6,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
3	20	12/1/1995	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1079			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		3/18/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: WESTFIELD MISSOULA
8448 US HIGHWAY 10 W
MISSOULA, MT 59808 MISSOULA
Contact: Steve L Hanson, (406) 543-6969

Sys Fac ID: 32-13674
Last Inspected On: 7/17/2014
Operating Permit Renewal Date: 7/22/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	20	12/1/1995	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1080			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		3/18/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
4,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
5	20	12/1/1995	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1081			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		3/18/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
6	20	12/1/1995	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1082			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		3/18/2014	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: SILVER SLIPPER
4055 HWY 93 SOUTH 4055 BROOKS ST
MISSOULA, MT 59804 MISSOULA

Sys Fac ID: 32-13711

Last Inspected On: 6/4/2015

Operating Permit Renewal Date:

Contact: Noah Castle, (406) 251-5402

Owners/Operators: Noah Castle, Owner (406)-251-7266 4055 BROOKS ST
MISSOULA MT 59804
PRESLYN LLC, Owner (406)-251-5402 3615 JACK DR
MISSOULA MT 59803

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	19	3/1/1996	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3251			Double-Walled	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	Continuous Interstitial Monitor	
15,000					
2	19	3/1/1996	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3252			Double-Walled	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	Continuous Interstitial Monitor	
15,000					
3	19	3/1/1996	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3253			Double-Walled	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor	Continuous Interstitial Monitor	
5,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP INC MISSOULA 8
3420 MULLAN RD STE A
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 56-13823

Last Inspected On: 6/22/2015

Operating Permit Renewal Date: 10/1/2018

Contact: Trent Biggers, (406) 497-6700

Owners/Operators: Montana Town Pump Inc, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000
Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	18	8/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1444			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root		
2	18	8/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1445			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000			TLS-350/Gilbarco EMC , Veeder Root		
3	18	8/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
1446			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
5,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of MISSOULA

Location: FAST TRIP CONOCO
2730 S RESERVE ST
MISSOULA, MT 59801 MISSOULA
Contact: Rollie Worster, (406) 829-9000

Sys Fac ID: 56-13914
Last Inspected On: 1/8/2016
Operating Permit Renewal Date: 7/2/2019

Owners/Operators: Scott Worster, Owner

2730 S RESERVE ST
MISSOULA MT 59801-7641

Deb Privett, UST Class A Operator
Debbie Macy, UST Class B Operator
Deb Privett, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	16	8/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4913			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
15,000		10/13/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
2	16	8/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4914			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
8,000		10/13/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
3	16	8/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4915			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
8,000		10/8/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MISSOULA COUNTY DETENTION CENTER
2340 MULLAN RD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 56-13921

Last Inspected On: 7/17/2013

Operating Permit Renewal Date: 12/12/2016

Contact: Robert Schieder, (406) 829-4000

Owners/Operators: Missoula County Detention Center, Owner

(406)-829-4000

WES TANNER
2340 MULLAN RD
MISSOULA MT 59808-1830

John Carlson, UST Class A Operator

Raymond Anthony, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	16	6/1/1999	Unknown	Copper	High Level Alarm
3774	Yes	7/17/2013	Double-Walled	Secondary Containment Chase	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Not Listed	
3,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: COSTCO WHOLESALE FUELING FACILITY
3220 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 56-13977

Last Inspected On: 12/21/2015

Operating Permit Renewal Date: 2/15/2019

Contact: David Rogers, (425) 313-8100

Owners/Operators: Costco Wholesale, Owner	(425)-313-8100	ATTN: LICENSING PO BOX 35005 SEATTLE WA 98124-8990
David Rogers, Operator	(425)-313-8100	999 LAKE DRIVE ISSAQUAH WA 98027
Roy Allen, UST Class A Operator		
Dennis Bock, UST Class A Operator		
Jason Cocke, UST Class A Operator		
Dan Martinez, UST Class A Operator		
Wayne Rhoades, UST Class A Operator		
Michael Schaeffer, UST Class A Operator		
Rodney Svilar, UST Class A Operator		
Shawn Willis, UST Class A Operator		
Jason Cocke, UST Class B Operator		
Brett G Smith, UST Class B Operator		
Shawn Willis, UST Class B Operator		
Dennis Bock, UST Class B Global Operator		
Jason Cocke, UST Class B Global Operator		
Michael Schaeffer, UST Class B Global Operator		
Shawn Willis, UST Class B Global Operator		

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	15	5/15/2000	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4189			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
20,000		11/16/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: COSTCO WHOLESALE FUELING FACILITY
 3220 N RESERVE ST
 MISSOULA, MT 59808 MISSOULA
Contact: David Rogers, (425) 313-8100

Sys Fac ID: 56-13977
Last Inspected On: 12/21/2015
Operating Permit Renewal Date: 2/15/2019

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	15	5/15/2000	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4190			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
20,000		11/16/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
3	15	5/15/2000	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4191			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
20,000		11/16/2015	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
4	04	8/1/2011	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
5283			Double-Walled	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Hazardous Substance			Continuous Interstitial Monitor	MLLD Line Tightness Testing	
1,500		11/16/2015	TLS-350/Gilbarco EMC , Veeder Root		Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: LITHIA AUTO CENTER
EXPRESSWAY LN & AIRWAY BLVD
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 56-14004

Last Inspected On: 9/9/2013

Operating Permit Renewal Date:

Contact: Chad Chandler, (406) 721-5000

Owners/Operators: Lithia Chrysler Dodge of Missoula, Owner

(406)-721-5000

5001 GRIZZLY CT
MISSOULA MT 59808-8672

Betty Johnson, UST Class A Operator

Betty Johnson, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	14	6/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4359			None	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
6,000					
2	14	6/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm
4360			None	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
4,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: SPRINT MISSOULA POP
2515 RAILROAD ST W
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 56-14010

Last Inspected On: 2/18/2014

Operating Permit Renewal Date: 8/12/2017

Contact: Sara Cullen-Crafton, (913) 315-8624

Owners/Operators: Sprint Communications Co LLP, Owner (913)-762-5957 PO BOX 7994
SHAWNEE MISSION KS 66251-6106
Brian Wiedower, UST Class A Operator
Scott Hallesy, UST Class B Operator
Nikki Lattin, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	14	6/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
4321			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
2,500		2/18/2014			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MISSOULA FRESH MARKET #3416
3801 S RESERVE ST
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 56-14025
Last Inspected On: 8/22/2013
Operating Permit Renewal Date: 1/4/2017

Contact: Ron Ramshacher, (406) 251-3072

Owners/Operators: Missoula Fresh Market LLC, Owner/Operator (406)-251-7170 2520 39TH ST
MISSOULA MT 59803

Shari Goodmanson, UST Class A Operator
Aaron Nelson, UST Class A Operator
Lynn Pehrson, UST Class A Operator
Shari Goodmanson, UST Class B Operator
Allen Trimp, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	14	9/1/2001	Steel Clad	Flexible Plastic	High Level Alarm, Ball Float Valve
4416			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
20,000				Continuous Interstitial Monitor	
2	14	9/1/2001	Steel Clad	Flexible Plastic	High Level Alarm, Ball Float Valve
4417			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
10,000				Continuous Interstitial Monitor	
3	14	9/1/2001	Steel Clad	Flexible Plastic	High Level Alarm, Ball Float Valve
4418			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
10,000				Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: KARL TYLER CHEVROLET INC N RESERVE
3663 N RESERVE ST
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 56-14056

Last Inspected On: 4/29/2014

Operating Permit Renewal Date: 9/10/2017

Contact: Todd Rust, (406) 721-2438

Owners/Operators: Karl Tyler Chevrolet Inc, Owner (406)-721-2438 PO BOX 16025
MISSOULA MT 59808-6025
Terry Hedrick, UST Class A Operator
Terry Hedrick, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	13	7/30/2002	Concrete	Flexible Plastic	High Level Alarm
4699	Yes	10/21/2012	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Waste Oil			Deferred	Continuous Interstitial Monitor	
10,000					
2	13	7/22/2002	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4695		10/21/2012	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
6,000					
3	13	7/22/2002	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4696		10/21/2012	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
4,000					

Facility Summary in MISSOULA County in the City of MISSOULA

Location: AIRWAY FLEET FUEL
5355 W HARRIER
MISSOULA, MT 59808 MISSOULA
Contact: Steve Hanson, (406) 543-6969

Sys Fac ID: 56-14133
Last Inspected On: 8/29/2013
Operating Permit Renewal Date: 2/18/2017

Owners/Operators: Finest Oil Co, Owner (406)-543-6969 PO BOX 17077
MISSOULA MT 59808-7077

James DeWaters, UST Class A Operator
Stephen Hanson, UST Class A Operator
David Peyton, UST Class A Operator
John Stordahl, UST Class A Operator
Stephen Hanson, UST Class B Operator
David Peyton, UST Class B Global Operator
John Stordahl, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	10	4/5/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4904			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000		6/12/2013			
2	10	4/5/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4905			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
15,000		6/12/2013			
3	10	4/5/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4906			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000		6/12/2013			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: AIRWAY FLEET FUEL
5355 W HARRIER
MISSOULA, MT 59808 MISSOULA

Contact: Steve Hanson, (406) 543-6969

Sys Fac ID: 56-14133
Last Inspected On: 8/29/2013
Operating Permit Renewal Date: 2/18/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	10	4/5/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4907			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
25,000		6/12/2013			
5	10	4/5/2005	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5038			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000		6/12/2013			

Facility Summary in MISSOULA County in the City of MISSOULA

Location: DEANOS TRAVEL PLAZA II
5318 W HARRIER
MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 60-15010

Last Inspected On: 2/12/2015

Operating Permit Renewal Date: 4/27/2018

Contact: Dean Clinkenbeard, (406) 728-6052

Owners/Operators: DC Petroleum Inc, Owner (406)-728-6052 PO BOX 16085
MISSOULA MT 59808-6085
Dean Clinkenbeard, UST Class A Operator
Robert Taylor, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	10	1/17/2006	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5027			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
20,000			Gilbarco EMC Basic , Gilbarco	Continuous Interstitial Monitor	
2	10	1/17/2006	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5028			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
12,000			Gilbarco EMC Basic , Gilbarco	Continuous Interstitial Monitor	
3	10	1/17/2006	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
5029			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
12,000			Gilbarco EMC Basic , Gilbarco	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of MISSOULA

Location: MISSOULA FRESH MARKET #3417
800 W BROADWAY
MISSOULA, MT 59802 MISSOULA

Sys Fac ID: 60-15098

Last Inspected On: 4/10/2015

Operating Permit Renewal Date: 6/11/2018

Contact: Ron Ramshucher, (406) 239-4846

Owners/Operators: Aaron Nelson, Operator (425)-201-6301 1121 124TH AVE NE
BELLEVUE WA 98005-2101
Missoula Fresh Market LLC, Owner/Operator (406)-251-7170 2520 39TH ST
MISSOULA MT 59803
Shari Goodmanson, UST Class A Operator
Aaron Nelson, UST Class A Operator
Lynn Pehrson, UST Class A Operator
Shari Goodmanson, UST Class B Global Operator
Cathie Hinds, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	07	8/8/2008	Steel Clad	Flexible Plastic	High Level Alarm
5167			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	
Gasoline			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
20,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	Yes
2	07	8/1/2008	Steel Clad	Flexible Plastic	High Level Alarm
5168			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	
Gasoline			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	Yes
3	07	8/1/2008	Steel Clad	Flexible Plastic	High Level Alarm
5169			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, ELLD Line Tightness Testing	
10,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP MISSOULA #7
8745 HWY 93 N
MISSOULA, MT 59801 MISSOULA
Contact: Biggers Trent, (406) 497-6900

Sys Fac ID: 60-15158
Last Inspected On: 11/2/2015
Operating Permit Renewal Date: 2/21/2019

Owners/Operators: Polson-Ronan Casino Inc, Owner (406)-497-6900 PO BOX 6000
ROCKER MT 59701
Town Pump Inc, Owner (406)-497-6947 PO BOX 6000
BUTTE MT 59702-2534
Charles A Armstrong, UST Class A Operator
Trent Biggers, UST Class A Operator
Charles A Armstrong, UST Class B Global Operator
Trent Biggers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5256			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
30,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes
2	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5257			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
30,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes
3	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5258			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
25,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP MISSOULA #7
8745 HWY 93 N
MISSOULA, MT 59801 MISSOULA
Contact: Biggers Trent, (406) 497-6900

Sys Fac ID: 60-15158
Last Inspected On: 11/2/2015
Operating Permit Renewal Date: 2/21/2019

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
5259			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
30,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes
5	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5260			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	Yes
8,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes
6	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
5261			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	Yes
15,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes
7	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5262			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
8,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: TOWN PUMP MISSOULA #7
 8745 HWY 93 N
 MISSOULA, MT 59801 MISSOULA

Sys Fac ID: 60-15158
Last Inspected On: 11/2/2015
Operating Permit Renewal Date: 2/21/2019

Contact: Biggers Trent, (406) 497-6900

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	05	9/1/2010	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
5331			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	Yes
6,000			TLS-450 , Veeder Root	Continuous Interstitial Monitor	Yes

Facility Summary in MISSOULA County in the City of MISSOULA

Location: DECKER TRUCK LINE INC
8350 OLD HWY 10
MISSOULA, MT 59808 MISSOULA

Sys Fac ID: 60-15231
Last Inspected On: 7/17/2014
Operating Permit Renewal Date: 9/1/2017

Contact:

Owners/Operators: Decker Truck Line Inc, Owner (515)-576-4141 4000 5TH AVE S
FORT DODGE IA 50501
Liam Lederer, UST Class A Operator
Cory Jelletich, UST Class B Global Operator
Liam Lederer, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	01	3/1/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
5438		4/4/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2	
20,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, Not Listed	Yes

Facility Summary in MISSOULA County in the City of SEELEY LAKE

Location: LINDEYS LANDING WEST SPB
 MT HIGHWAY 83
 SEELEY LAKE, MT 59868 MISSOULA

Contact: Mike Lindemer, (406) 677-9229

Sys Fac ID: 32-05837
Last Inspected On: 8/28/2014
Operating Permit Renewal Date: 10/17/2017

Owners/Operators: Lindeys Inc, Owner (406)-677-9229 PO BOX 791
 SEELEY LAKE MT 59868-0791

Michael Lindemer, UST Class A Operator
 Michael Lindemer, UST Class B Operator
 Tanner Stevenson, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	16	5/1/1999	Concrete	Flexible Plastic	High Level Alarm
4104	Yes	8/28/2014	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
1,500			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in MISSOULA County in the City of SEELEY LAKE

Location: SEELEY LAKE CONVENIENCE STORE
 MT HIGHWAY 83
 SEELEY LAKE, MT 59868 MISSOULA
Contact: Norman Baier, (406) 677-2004

Sys Fac ID: 32-09288
Last Inspected On: 12/17/2014
Operating Permit Renewal Date: 3/13/2018

Owners/Operators: Norman W & M Rose Baier, Owner (406)-677-2004 PO BOX 87
 SEELEY LAKE MT 59868-0087
 Norman Baier, UST Class A Operator
 Rose Baier, UST Class A Operator
 Norman Baier, UST Class B Operator
 Rose Baier, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	28	4/22/1987	Concrete	Fiberglass Reinforced Plastic	Ball Float Valve
418	Yes		None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel			Deferred	MLLD Line Tightness Testing	
8,000		12/15/2014			
2	28	4/22/1987	Concrete	Fiberglass Reinforced Plastic	Ball Float Valve
417	Yes		None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Deferred	MLLD Line Tightness Testing	
8,000		12/15/2014			
3	28	4/22/1987	Concrete	Fiberglass Reinforced Plastic	Ball Float Valve
416	Yes		None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Deferred	MLLD Line Tightness Testing	
8,000		12/15/2014			

Facility Summary in MISSOULA County in the City of SEELEY LAKE

Location: ROVEROS
3182 HWY 83
SEELEY LAKE, MT 59868 MISSOULA
Contact: Seely Lke Investments, (406) 677-2800

Sys Fac ID: 60-15146
Last Inspected On: 12/10/2013
Operating Permit Renewal Date: 1/28/2017

Owners/Operators: Roveros LLC, Owner (406)-677-2445 PO BOX 630
SEELEY LAKE MT 59868-0630
Tabish Brothers Distributors Inc, Owner (406)-543-7621 GW PETROLEUM
PO BOX 8448
MISSOULA MT 59807-8448
Pat Mitchell, UST Class A Operator
Kyle Marx, UST Class B Global Operator
Pat Mitchell, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	20	4/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3340			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000					
2	20	4/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3341			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000					
3	20	4/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3342			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Kerosene			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
4,000					
4	20	4/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3343			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Kerosene			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
2,000					

Facility Summary in MISSOULA County in the City of SEELEY LAKE

Location: ROVEROS
3182 HWY 83
SEELEY LAKE, MT 59868 MISSOULA

Contact: Seely Lke Investments, (406) 677-2800

Sys Fac ID: 60-15146
Last Inspected On: 12/10/2013
Operating Permit Renewal Date: 1/28/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
11	20	4/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3337			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
7,000					
12	20	4/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3338			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
5,000					
13	20	4/1/1995	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
3339			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000					

Facility Summary in MISSOULA County in the City of WYE

Location: MISSOULA TRAVEL CENTER
8018 US HIGHWAY 93 N
WYE, MT 59808 MISSOULA

Sys Fac ID: 32-02822

Last Inspected On: 7/15/2014

Operating Permit Renewal Date: 10/31/2017

Contact: Kelly Gelske, (440) 808-7406

Owners/Operators: TA Operating LLC, Owner/Operator (440)-808-7406 24601 CENTER RIDGE RD
WESTLAKE OH 44145

Krista Andrews, UST Class A Operator
David R Campbell, UST Class A Operator
Richard Fargher, UST Class A Operator
Kelly Gelske, UST Class A Operator
Chris Johnson, UST Class A Operator
Joshua Matlock, UST Class A Operator
Justin Spicer, UST Class A Operator
Krista Andrews, UST Class B Operator
Keith Dowling, UST Class B Operator
Chris Johnson, UST Class B Operator
Joshua Matlock, UST Class B Operator
Michael Mueller, UST Class B Operator
Callie Leigh Olson, UST Class B Operator
Richard Fargher, UST Class B Global Operator
Kelly Gelske, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	11/1/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
789		8/18/2014	None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		9/24/2013	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		8/4/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
2	22	11/1/1993	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
790		8/18/2014	None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		9/24/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
10,000		9/14/2013	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of WYE

Location: MISSOULA TRAVEL CENTER
8018 US HIGHWAY 93 N
WYE, MT 59808 MISSOULA
Contact: Kelly Gelske, (440) 808-7406

Sys Fac ID: 32-02822
Last Inspected On: 7/15/2014
Operating Permit Renewal Date: 10/31/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	22	11/1/1993	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
791		8/18/2014	None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		9/24/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000		9/14/2013	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
5	38	2/17/1978	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
786		8/18/2014	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Diesel		9/24/2013	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		8/4/2014	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
6	38	2/17/1978	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
787		8/18/2014	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		9/24/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
10,000		9/14/2013	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
7	38	2/17/1978	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
785		8/18/2014	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		9/24/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
10,000		9/14/2013	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
8	22	11/1/1993	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
788		8/18/2014	None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		9/24/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000		9/14/2013	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Facility Summary in MISSOULA County in the City of WYE

Location: MISSOULA TRAVEL CENTER
8018 US HIGHWAY 93 N
WYE, MT 59808 MISSOULA
Contact: Kelly Gelske, (440) 808-7406

Sys Fac ID: 32-02822
Last Inspected On: 7/15/2014
Operating Permit Renewal Date: 10/31/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
14	01	2/24/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Auto Limiter
5550		10/16/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Oil Substance			Continuous Interstitial Monitor	MLLD Line Tightness Testing	
8,000		3/12/2015	TLS-300 , Veeder Root	Continuous Interstitial Monitor, Not Listed	
15	01	2/24/2015	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
5551		10/16/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Gravity Feed	Not Applicable
Oil Substance			Continuous Interstitial Monitor	MLLD Line Tightness Testing	
4,000		3/12/2015	TLS-300 , Veeder Root	Continuous Interstitial Monitor, Not Listed	